



# B & W Pipe, Inc.

1421 Ave. C

Katy, TX 77493

Ph: 281-391-6688, Fax: 281-391-1511

[Sales@bwpipe.biz](mailto:Sales@bwpipe.biz)

## January 2019

<u>Footage</u>	<u>OD</u>	<u>Wall</u>	<u>Grade</u>	<u>Wt. Per Ft.</u>	<u>Process</u>	<u>MFG.</u>
3,475	8.625	0.322	X65 PSL-2**	28.58	ERW	JFE
7,358	8.625	0.500	X65 PSL-2**	43.43	ERW	JFE
165	10.750	0.250	B/X42/X52/Struct.	28.06	ERW	Dongbu
231	10.750	0.250	B/X42/A53B	28.06	ERW	Husteel
1,950	10.750	0.365	X65 PSL-2**	40.52	ERW	JFE
5,000	10.750	0.365	X70 PSL-2**	40.52	ERW	JFE Feb/Mar
750	10.750	0.500	X65 PSL-2**	54.79	ERW	JFE
5,000	10.750	0.500	X70 PSL-2**	54.79	ERW	JFE Feb/Mar
2,240	10.750	0.594	X65 PSL-2**	64.49	ERW	JFE
540	12.750	0.375	X65 PSL-2	49.61	ERW	Tata UK Jan.
3,520	12.750	0.375	X70 PSL-2**	49.61	ERW	JFE Feb/Mar
440	12.750	0.375	X70 PSL-2**	49.61	ERW	JFE
40	12.750	0.406	X65 PSL-2**	53.57	ERW	JFE
3,680	12.750	0.406	X70 PSL-2**	53.57	ERW	JFE
5,000	12.750	0.500	X65 PSL-2	65.48	ERW	JFE Jan.
400	12.750	0.500	X65 PSL-2	65.48	ERW	Tata UK Jan.
1,080	12.750	0.500	X70 PSL-2**	65.48	ERW	JFE
7,000	12.750	0.500	X70 PSL-2	65.48	ERW	JFE Feb/Mar
20	12.750	0.562	X70 PSL-2**	73.22	ERW	JFE
140	14	0.250	B/X42/A53B	36.75	ERW	Husteel
1,700	14	0.375	X65 PSL-2**	54.62	ERW	JFE
1,920	14	0.500	X65 PSL-2**	72.16	ERW	JFE
1,620	14	0.594	X65 PSL-2**	85.13	ERW	JFE
5,280	16	0.250	B/X42	42.09	ERW	Hall/Long Jan.
575	16	0.250	X65 PSL-2	42.09	ERW	Tata UK
3,600	16	0.375	X52 PSL-2	62.64	ERW	Hall/Long Mar
13,970	16	0.375	X60 PSL-2	62.64	ERW	Tata UK Jan.
7,340	16	0.375	X65 PSL-2**	62.64	ERW	JFE Feb/Mar
6,640	16	0.375	X70 PSL-2**	62.64	ERW	JFE
1,160	16	0.625	X52 PSL-2	102.72	ERW	Tata UK Jan.
1,560	16	0.656	X65 PSL-2**	107.60	ERW	JFE/Jan.
9,840	16	0.500	X70 PSL-2**	82.85	ERW	JFE
40	16	0.750	X60 PSL-2**	122.27	ERW	JFE
280	16	0.844	X65 PSL-2**	136.74	ERW	JFE
2,400	16	0.844	X65 PSL-2**	136.74	ERW	JFE/OCT
84	18	0.250	B/X42/A53B	47.44	ERW	Husteel
3,000	18	0.375	X52 PSL-2**	70.65	ERW	Tata UK Feb/Mar
2,580	18	0.375	X70 PSL-2	70.65	ERW	Salzgitter
400	18	0.500	X70 PSL-2	93.54	ERW	Salzgitter

**B & W Pipe, Inc.**

<u>Footage</u>	<u>OD</u>	<u>Wall</u>	<u>Grade</u>	<u>Wt. Per Ft.</u>	<u>Process</u>	<u>MFG.</u>
1,670	18	0.562	X70 PSL-2	104.76	ERW	Salzgitter
400	18	0.938	X65 PSL-2**	171.08	ERW	JFE
4,000	20	0.375	X52 PSL-2**	78.67	ERW	Tata Uk Jan.
105	20	0.375	X60 PSL-2**	78.67	ERW	Tata UK
8,529	20	0.438	B/X42 PSL-2	91.59	ERW	Tata UK
4,300	20	0.500	X70 PSL-2**	104.23	ERW	Hyundai
200	20	0.594	X70 PSL-2**	123.23	ERW	Hyundai
660	20	0.625	X65 PSL-2	129.45	ERW	Tata
2,200	20	0.750	X65 PSL-2**	154.34	ERW	JFE/Jan.
160	20	0.750	X70 PSL-2**	154.34	ERW	JFE
780	20	0.878	X65 PSL-2	179.48	DSAW	Tata UK
1,200	20	1.000	X52/X56 PSL-2	203.11	ERW	JFE
1,150	20	1.000	X60 PSL-2**	203.11	ERW	JFE
2,040	22	0.375	B/X42/A53B	86.69	ERW	Husteel
77	22	1.000	X80 PSL-2	224.49	ERW	JFE
1,766	24	0.375	X70 PSL-2	94.71	ERW	Husteel
120	24	0.380	X65 PSL-2	95.95	ERW	American
1,660	24	0.500	X70 PSL-2**	125.61	DSAW	Hyundai
1,060	24	0.562	X65 PSL-2**	140.81	ERW	Hyundai
20	24	0.562	X70 PSL-2**	140.81	ERW	Hyundai
35	24	0.625	X52 PSL-2	156.17	ERW	Hyundai
18	24	0.688	X65 PSL-2	171.45	DSAW	JSW
60	24	0.750	X60 PSL-2**	186.41	ERW	JFE
380	24	0.750	X70 PSL-2**	186.41	ERW	JFE
1,560	24	1.000	X65 PSL-2**	245.87	ERW	JFE/Jan.
180	24	1.219	X65 PSL-2**	296.86	DSAW	JFE
1,000	26	0.375	A53/SA53 B	102.72	DSAW	JFE Feb/Mar
520	26	0.375	X46/X52 PSL-2**	102.72	DSAW	Hyundai
1,960	26	0.500	X52 PSL-2	136.30	DSAW	Hyundai
780	26	0.500	X46/X52 PSL-2**	136.30	DSAW	Hyundai
1,680	26	0.750	X65 PSL-2**	202.44	ERW	JFE/Jan.
1,500	28	0.375	X46/X52 PSL-2**	110.74	DSAW	Hyundai
820	28	0.375	X52 PSL-2	110.74	DSAW	Hyundai
1,580	28	0.500	X46/X52 PSL-2**	146.99	DSAW	Hyundai
66	28	0.750	X60 PSL-2/Drops	218.48	DSAW	JFE
620	30	0.375	X52 PSL-2**	118.76	DSAW	JSW USA
40	30	0.375	X70 PSL-2**	118.76	DSAW	JSW USA
560	30	0.500	B/X42 PSL-1	157.68	DSAW	DYSP
3,085	30	0.500	X46/X52 PSL-2**	157.68	DSAW	Liberty UK
1,200	30	0.500	X46/X52 PSL-2**	157.68	DSAW	Hyundai
470	30	0.500	X52 PSL-2	157.68	DSAW	Berg M&M
400	30	0.500	X70 PSL-2	157.68	DSAW	Berg M&M
20	30	0.558	X65 PSL-2	175.62	DSAW	JSW USA
40	30	0.625	X46/X52 PSL-2	196.26	DSAW	Hyundai
1,529	30	0.625	X52 PSL-2**	196.26	DSAW	JSW
1,080	30	0.625	X70 PSL-2**	196.26	DSAW	JSW

<u>Footage</u>	<u>OD</u>	<u>Wall</u>	<u>Grade</u>	<u>Wt. Per Ft.</u>	<u>Process</u>	<u>MFG.</u>
1,530	30	0.750	X46/X52 PSL-2**	234.51	DSAW	JSW
1,126	30	0.750	X70 PSL-2**	234.51	DSAW	SeAH
120	30	1.062	X65 PSL-2**	328.53	DSAW	JFE
160	32	0.375	X46/X52 PSL-2**	126.78	DSAW	Hyundai
600	32	0.375	X52 PSL-2	126.78	DSAW	DYSP
560	32	0.500	X46/X52 PSL-2**	168.37	DSAW	Hyundai
20	34	0.375	X46/X52 PSL-2**	134.79	DSAW	Hyundai
560	34	0.500	X42 PSL-2	179.06	DSAW	Hyundai
220	34	0.500	X46/X52 PSL-2**	179.06	DSAW	Hyundai
1,680	36	0.375	X46/X52 PSL-2**	142.81	DSAW	Hyundai
1,220	36	0.500	X46/X52 PSL-2**	189.75	DSAW	SeAH
1,290	36	0.500	X52 PSL-2**	189.75	DSAW	JSW USA
31	36	0.625	X60 & X70 Drops	236.35	DSAW	JSW/Ilva
560	36	0.625	X70 PSL-2	236.35	DSAW	Durabond
360	36	0.625	X70 PSL-2**	236.35	DSAW	SeAH
1,240	36	0.625	X70 PSL-2**	236.35	DSAW	JSW
1,663	36	0.750	X46/X52 PSL-2**	282.62	DSAW	Liberty UK
480	36	0.750	X46/X52 PSL-2**	282.62	DSAW	Hyundai
1,080	36	0.750	X65 PSL-2	282.62	DSAW	BERG M&M
460	36	0.750	X70 PSL-2**	282.62	DSAW	SeAH
100	36	0.875	X60 PSL-2	328.55	DSAW	JSW USA
1,140	36	1.000	X70 PSL-2**	374.15	DSAW	SeAH
1,120	36	1.188	X70 PSL-2**	442.10	DSAW	JFE Jan/Feb
440	36	1.500	X52/X56 PSL-2	553.21	DSAW	NSSMC
340	40	0.375	X46/X52 PSL-2**	158.85	DSAW	Hyundai
1,326	42	0.375	X46/X52 PSL-2**	166.86	DSAW	Liberty UK
320	42	0.375	B/X42PSL-2	166.86	DSAW	SeAH
1,020	42	0.500	X46/X52 PSL-2	221.82	DSAW	JSW
872	42	0.625	X70 PSL-2**	276.44	DSAW	Tata UK
932	42	0.750	X70 PSL-2**	330.72	DSAW	Tata UK
20	42	0.875	X65 PSL-2	384.67	DSAW	JSW USA
1,073	42	1.188	X70 PSL-2**	518.30	DSAW	SeAH
720	48	0.375	X60 PSL-2**	190.92	DSAW	Hyundai
476	48	0.500	X60 PSL-2**	253.89	DSAW	Hyundai
640	48	1.188	X70 PSL-2**	594.50	DSAW	Hyundai
280	48	1.188	X70 PSL-2**	594.50	DSAW	SeAH
280	54	0.375	X46/X52 PSL-2	214.97	DSAW	Hyundai

## Contact Sales

[Sales@bwpipe.biz](mailto:Sales@bwpipe.biz)

\*\* = Charpy Impact Tested @ -50 Degrees F on Weld, Body, and HAZ.

Some items also have a DWTT @ -50 F on the pipe body.